

## 20

## Garden &amp; Underwater

Pages 547-574

MR16 | GU10 | E27 | LED | COB LED

Die cast | Natural aluminium | Stainless steel | Acrylic | Metal | Teak


 IP43 IP44 IP54 IP65 IP68


 ADJUSTABLE ADJUSTABLE DARK LIGHT IK<sup>08</sup> 1m max CE 2 YEAR 3 YEAR


# LED Garden Spots



67456/B/W

67458/B/W

67464G/B


7070 | 5W | SMD 2835 | Plastic

Supplied with spike & base.




A-A++ 7070/W

new  
IP65



7070/C




7068 | 6W | COB LED | Die cast




A-A++

IP65



Supplied with spike.





67456 | 3W | COB LED | Aluminium

Supplied with spike.



A-A++

IP67





67458 | 8W | SMD 2835 | Aluminium

Supplied with spike.



A-A++

IP65



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class	⏻	📦	Notes
7070/C	Black	Cool white	4000K	5W	400lm	38°	100-240V	□	200cm	40	Complete with driver
7070/W	Black	Warm white	3000K	5W	400lm	38°	100-240V	□	200cm	40	Complete with driver
7068/B/W	Black	Warm white	3000K	6W	380lm	40°	230V	⏻	200cm	30	Complete with driver
67456/B/W	Black	Warm white	3000K	3W	170lm	36°	350mA	⏻	200cm	36	Requires 350mA driver
67458/B/W	Black	Warm white	3000K	8W	520lm	38°	24V DC	⏻	200cm	50	Requires 24V DC driver


# GU10 Garden Spots




E-A<sup>++</sup>

IP65

67198G | 35W | MR16 | GU10 | Aluminium



Supplied with spike.



E-A<sup>++</sup>

IP65

67198AG | 35W | MR16 | GU10 | Aluminium



Supplied with spike & 400mm pole stand.




A-A<sup>++</sup>


new

IP65

67464G | 10W | MR16 | GU10 | Aluminium



Supplied with spike.



Order Code	Colour	Watts	Input	Class			Notes
67198G/AN	Anthracite	35W	100-240V		150cm	12	-
67198G/B	Black	35W	100-240V		150cm	12	-
67198AG/AN	Anthracite	35W	100-240V		150cm	6	-
67464G/B	Black	10W	100-240V		200cm	12	-



# The 10W COB Garden Spots

Aluminium



A-A+ 7046/W/W


7046 | 10W | COB LED | Aluminium

**LED BUILT IN**
  
**80 CRI**
  
  
**CE**

IP65



Supplied with spike.



A-A+ 7046/AN/W


7046 | 10W | COB LED | Aluminium

**LED BUILT IN**
  
**80 CRI**
  
  
**CE**

IP65



Supplied with spike.



A-A+ 7046/AL/W


7046 | 10W | COB LED | Aluminium

**LED BUILT IN**
  
**80 CRI**
  
  
**CE**

IP65



Supplied with spike.



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class	⚡	📦	Notes
7046/W/W	White	Warm white	3000K	10W	850lm	50°	230V	⊕	150cm	12	Complete with 200mA driver
7046/AN/W	Anthracite	Warm white	3000K	10W	850lm	50°	230V	⊕	150cm	12	Complete with 200mA driver
7046/AL/W	Aluminium	Warm white	3000K	10W	850lm	50°	230V	⊕	150cm	12	Complete with 200mA driver


one

# The 20W COB Garden Spots Aluminium



A-A+ 7047/W/W


7047 | 20W | COB LED | Aluminium



IP65




Supplied with spike.



A-A+ 7047/AN/W


7047 | 20W | COB LED | Aluminium



IP65




Supplied with spike.



A-A+ 7047/AL/W


7047 | 20W | COB LED | Aluminium



IP65



Supplied with spike.



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class	⏏	📦	Notes
7047/W/W	White	Warm white	3000K	20W	1800lm	50°	230V	⊕	150cm	8	Complete with 500mA driver
7047/AN/W	Anthracite	Warm white	3000K	20W	1800lm	50°	230V	⊕	150cm	8	Complete with 500mA driver
7047/AL/W	Aluminium	Warm white	3000K	20W	1800lm	50°	230V	⊕	150cm	8	Complete with 500mA driver



67196C/AN/W



67196BG/G



67196BG/W

## The GU10 Garden Round Spots


Die cast




E-A<sup>++</sup> 67196BG/W

IP65

67196BG | 35W | MR16 | GU10 | Die cast




Supplied with spike.




E-A<sup>++</sup> 67196BG/AN

IP65

67196BG | 35W | MR16 | GU10 | Die cast




Supplied with spike.




E-A<sup>++</sup> 67196BG/G

IP65

67196BG | 35W | MR16 | GU10 | Die cast



Supplied with spike.



Order Code	Colour	Watts	Input	Class			Notes
67196BG/W	White	35W	100-240V		150cm	6	-
67196BG/AN	Anthracite	35W	100-240V		150cm	6	-
67196BG/G	Grey	35W	100-240V		150cm	6	-



# The Garden Round Spots


Die cast




A-A<sup>++</sup>

IP65

67196A | 3W | COB LED | Die cast




Supplied with spike.




A-A<sup>++</sup>

IP65

67196B | 6W | COB LED | Die cast




Supplied with spike.




A-A<sup>++</sup>

IP65

67196C | 9W | COB LED | Die cast



Supplied with spike.



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class			Notes
67196A/AN/W	Anthracite	Warm white	3000K	3W	240lm	35°	100-240V		150cm	12	Complete with 350mA driver
67196B/AN/W	Anthracite	Warm white	3000K	6W	450lm	35°	230V		150cm	6	Complete with 500mA driver
67196C/AN/W	Anthracite	Warm white	3000K	9W	700lm	35°	230V		150cm	6	Complete with 250mA driver



one

# Garden Spots

Stainless steel





**7008L** | 3x1W | LED | Stainless steel 304



Supplied with base & spike.





**7008A** | 35W | MR16 | GU10 | Stainless steel 316



Supplied with base & spike.




**7010** | 80W | PAR38 | E27 | Stainless steel 304



Supplied with base & spike.



**7010A** | 80W | PAR38 | E27 | Stainless steel 316



Supplied with base & spike.

Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class	⚡	📦	Notes
7008L/W	Stainless steel	Warm white	3000K	3x1W	245lm	230V	⬇️	100cm	18	Complete with driver
7008A	Stainless steel	-	-	35W	-	100-240V	⬇️	200cm	20	-
7010	Stainless steel	-	-	80W	-	100-240V	⬇️	200cm	8	-
7010A	Stainless steel	-	-	80W	-	100-240V	⬇️	200cm	8	-






## The Garden Square Spots




7052B | 1W | COB LED | Die cast

new  
IP65




Optional spike.  
Order code 7010P.




67432 | 10W | MR16 | GU10 | Aluminium

IP65




Supplied with spike.




7052 | 7W | COB LED | Die cast

IP65



Supplied with spike.



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class	⚡	📦	Notes
7052B/AN/W	Anthracite	Warm white	3000K	1W	80lm	40°	24V DC	⚡	100cm	36	Requires 24V DC driver
67432/B	Black	-	-	10W	-	-	100-240V	⚡	-	2	-
7052/AN/W	Anthracite	Warm white	3000K	7W	550lm	47°	100-240V	⚡	100cm	12	Complete with driver



# Solar Path Light



67428 | 2,2W | LED | Solar powered | Sensor | Die cast



Supplied with spike.



LED 100% when movement detected.  
LED 15% when no movement detected.



PIR Sensor: Distance up to 6m and within angle 120°  
Charging time: 6-8Hrs (solar)  
Working time: 2,5-3Hrs in 100% LED brightness  
20-25Hrs in 15% LED brightness

Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	⊞	Notes
67428/AN/W	Anthracite	Warm white	3000K	2,2W	200lm	4	1x2200mAh lithium battery



67462/B/W



67428/AN/W

## Rechargeable Path Light




A-A<sup>++</sup>

67462 | 3W | LED | Rechargeable | Die cast

EU charger included.



**new**  
IP54



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Class	⊞	Notes
67462/B/W	Black	Warm white	3000K	3W	190lm	⊞	4	2x2200mAh lithium battery



67094/G



67094/AN



67100/BR

## The E27 Tube Lights

Die cast



B-A+ 67094/AN

67094 | 20W | E27 | Die cast



IP54




67094/B



67094/G



67094/BR



B-A+ 67098/AN

67098 | 2x20W | E27 | Die cast




IP54



67098/G



67098/BR



Order Code	Colour	Watts	Input	Class		Notes
67094/AN	Anthracite	20W	100-240V		12	-
67094/B	Black	20W	100-240V		12	-
67094/G	Grey	20W	100-240V		12	-
67094/BR	Rust brown	20W	100-240V		12	-
67098/AN	Anthracite	2x20W	100-240V		12	-
67098/G	Grey	2x20W	100-240V		12	-
67098/BR	Rust brown	2x20W	100-240V		12	-

# The E27 Tube Lights

Die cast




B-A\*\*

67090 | 15W | E27 | Die cast



IP54




B-A\*\*

67092 | 15W | E27 | Die cast



IP54



B-A\*\*

67100/B

67100 | 20W | E27 | Die cast



IP54




67100/AN



67100/G



67100/BR



B-A\*\*

67102/B

67102 | 20W | E27 | Die cast



IP54




67102/AN



67102/G



67102/BR



Order Code	Colour	Watts	Input	Class		Notes
67090/G	Grey	15W	100-240V		12	-
67092/G	Grey	15W	100-240V		6	-
67100/AN	Anthracite	20W	100-240V		4	-
67100/B	Black	20W	100-240V		4	-
67100/G	Grey	20W	100-240V		4	-
67100/BR	Rust brown	20W	100-240V		4	-
67102/AN	Anthracite	20W	100-240V		4	-
67102/B	Black	20W	100-240V		4	-
67102/G	Grey	20W	100-240V		4	-
67102/BR	Rust brown	20W	100-240V		4	-



67180/G

67182/G

67182/AN

## The Mushroom Range



B-A<sup>++</sup>


67180 | 15W | E27 | Die cast + plastic



IP44



Suitable for E27 LED lamp.



B-A<sup>++</sup>

67182/AN

67182 | 15W | E27 | Die cast + plastic



IP44



Suitable for E27 LED lamp.



B-A<sup>++</sup>

67182/G

67182 | 15W | E27 | Die cast + plastic



IP44



Suitable for E27 LED lamp.





Order Code	Colour	Watts	Input	Class		Notes
67180/G	Grey	15W	100-240V		4	-
67182/AN	Anthracite	15W	100-240V		4	-
67182/G	Grey	15W	100-240V		4	-



# The LED Dark Light Bollards Range



67250 | 2x3W | LED | Die cast



67250A | 2x3W | LED | Natural aluminium



Order Code	Colour	Light Colour	CCT (K)	Watts	Input	Class		Notes
67250/G/D	Grey	Daylight	6000K	2x3W	230V		8	Complete with driver
67250A/AL/W	Aluminium	Warm white	3000K	2x3W	230V		4	Complete with driver


# The Natural Aluminium Bollards



**67270** | 16W | E27 | Natural aluminium + acrylic




IP54



**67236** | 15W | E27 | Natural aluminium




IP54



**67236A** | 15W | E27 | Natural aluminium




IP54



**67238** | 15W | E27 | Natural aluminium




IP54



**67238A** | 15W | E27 | Natural aluminium



IP54



Order Code	Colour	Watts	Input	Class		Notes
67270/AL	Aluminium	16W	100-240V		10	-
67236/AL	Aluminium	15W	100-240V		4	-
67236A/AL	Aluminium	15W	100-240V		4	-
67238/AL	Aluminium	15W	100-240V		10	-
67238A/AL	Aluminium	15W	100-240V		4	-





## The 1W LED Bollards


Natural aluminium + acrylic



67234 | 1W | LED | Natural aluminium + acrylic




IP54



67234A | 1W | LED | Natural aluminium + acrylic



IP54



Order Code	Colour	Light Colour	CCT (K)	Watts	Input	Class		Notes
67234/AL/D	Aluminium	Daylight	6000K	1W	230V	⊕	10	Complete with driver
67234/AL/W	Aluminium	Warm white	3000K	1W	230V	⊕	10	Complete with driver
67234A/AL/W	Aluminium	Warm white	3000K	1W	230V	⊕	4	Complete with driver




# LED Garden Path Lights


Die cast




67470 | 10W | LED | Die cast




new  
IP65



67470A | 10W | LED | Die cast



new  
IP65



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class		Notes
67470/B/W	Black	Warm white	3000K	10W	500lm	100-240V		6	Complete with 260mA driver
67470A/B/W	Black	Warm white	3000K	10W	500lm	100-240V		6	Complete with 260mA driver



67470/B/W



67470A/B/W



67460A/AN/W

# LED Garden Path Lights


Die cast




A-A<sup>++</sup>

67460A | 8W | LED | Aluminium

1-side light.




new  
IP54




A-A<sup>++</sup>

67460B | 2x6W | LED | Aluminium

2-side light.



new  
IP54



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class		Notes
67460A/AN/W	Anthracite	Warm white	3000K	8W	640lm	100-240V		4	Complete with 350mA driver
67460B/AN/W	Anthracite	Warm white	3000K	2x6W	2x500lm	100-240V		4	Complete with 350mA driver

one




# LED Path Light


Die cast



67358 | 7W | COB LED | Die cast



IP65



A-A<sup>+</sup>

Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class	⊞	Notes
67358/AN/W	Anthracite	Warm white	3000K	7W	262lm	49°	100-240V	⊞	8	Complete with 700mA driver



# The LED Bollards Range

Die cast




67036 | 12W | COB LED | Die cast



LED  
BUILT IN



IP54




67034 | 15W | COB LED | Die cast



LED  
BUILT IN



IP54



Order Code	Colour	Light Colour	CCT (K)	Watts	Beam Angle	Lumen (lm)	Input	Class		Notes
67036/G/W	Grey	Warm white	3000K	12W	50°	450lm	100-240V		4	Complete with driver
67034/AN/W	Anthracite	Warm white	3000K	15W	50°	450lm	100-240V		4	Complete with driver
67034/G/W	Grey	Warm white	3000K	15W	50°	450lm	100-240V		4	Complete with driver


# The LED Bollards Range

Cone reflector




A-A<sup>++</sup>

67410 | 12W | SMD 2835 | Die cast



IP65<sup>+</sup>



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class		Notes
67410/AN/C	Anthracite	Cool white	4000K	12W	1000lm	230V		2	Complete with 250mA driver
67410/AN/W	Anthracite	Warm white	3000K	12W	1000lm	230V		2	Complete with 250mA driver



# The LED Bollards Range


Cone reflector




67410A | 20W | SMD 2835 | Die cast












IP65







Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class		Notes
67410A/AN/C	Anthracite	Cool white	4000K	20W	1600lm	230V	⊕	2	Complete with 250mA driver
67410A/AN/W	Anthracite	Warm white	3000K	20W	1600lm	230V	⊕	2	Complete with 250mA driver



## The Teak Wood & Stainless Steel Range

 <p>B-A**</p>	<p><b>67010W</b>   15W   E27   Teak + stainless steel</p> <p>← CE 2 YEAR</p> <p>IP44</p>		 <p>360mm</p>	
 <p>B-A**</p>	<p><b>67286</b>   15W   E27   Teak + stainless steel 316</p> <p>← CE 2 YEAR</p> <p>IP44</p>		 <p>300mm</p>	
 <p>B-A**</p>	<p><b>67004</b>   15W   E27   Stainless steel 201</p> <p>← CE 2 YEAR</p> <p>IP44</p> <p>offer</p>		 <p>300mm</p>	

Order Code	Colour	Watts	Input	Class		Notes
67010W	Teak + stainless steel	15W	100-240V		6	-
67286	Teak + stainless steel	15W	100-240V		4	-
67004	Stainless steel	15W	100-240V		12	-





## Retro Wall Lantern




E-A\*\*

IP44

67408 | 40W | E27 | Metal + glass



Suitable for E27 LED lamp.



Order Code	Colour	Watts	Input	Class	⊞	Notes
67408/B	Black	40W	100-240V	⊞	4	-

# The Romantic Outdoor Range



E-A<sup>++</sup> 67406/B


67406 | 40W | E27 | Stainless steel 201 + tempered glass



IP43



67406/W



E-A<sup>++</sup> 67406A/B


67406A | 40W | E27 | Stainless steel 201 + tempered glass



IP43



67406A/W



E-A<sup>++</sup>


67406B | 2x40W | E27 | Stainless steel 201 + tempered glass



IP43



Suitable for E27 LED lamps.



E-A<sup>++</sup> 67406C/B


67406C | 40W | E27 | Stainless steel 201 + tempered glass



IP43



67406C/W



Order Code	Colour	Watts	Input	Class		Notes
67406/W	White	40W	100-240V		4	-
67406/B	Black	40W	100-240V		4	-
67406A/W	White	40W	100-240V		4	-
67406A/B	Black	40W	100-240V		4	-
67406B/B	Black	2x40W	100-240V		4	-
67406C/W	White	40W	100-240V		4	-
67406C/B	Black	40W	100-240V		4	-

one



## The Romantic Outdoor Range



E-A<sup>++</sup> 67406D/B


67406D | 2x40W | E27 | Stainless steel 201 + tempered glass



IP43



67406D/W



E-A<sup>++</sup> 67406E/B


67406E | 40W | E27 | Stainless steel 201 + tempered glass



IP43



67406E/W




Order Code	Colour	Watts	Input	Class		Notes
67406D/W	White	2x40W	100-240V		2	-
67406D/B	Black	2x40W	100-240V		2	-
67406E/W	White	40W	100-240V		4	-
67406E/B	Black	40W	100-240V		4	-



one


# The LED Underwater Range

Stainless steel





69032 | 3W | LED | Stainless steel 316

Underwater only.




69036 | 12W | LED | Stainless steel 316

Underwater only.



69034 | 12W | LED | Stainless steel 316

Underwater only.



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class	⏻	📦	Notes
69032/C	Stainless steel	Cool white	4000K	3W	150lm	30°	24V DC	⚡	300cm	8	Requires 24V DC driver
69036/C	Stainless steel	Cool white	4000K	12W	1100lm	25°	24V DC	⚡	300cm	4	Requires 24V DC driver
69034/C	Stainless steel	Cool white	4000K	12W	545lm	30°	24V DC	⚡	300cm	4	Requires 24V DC driver